Author Index

Adams, F.C., see Lobinski, R. 41
Adams, J.
— and Songer, M.J.
Charge-remote fragmentations for structural determination of lipids 28
Aoyama, Y.
Molecular recognition of sugars 23
Ariño, C., see Esteban, M. 276
Armstrong, D.W., see Chang, S.C. 144

Baker, M.E., see Earle, C.W. 395
Baldwin, M.A.
—, Burlingame, A.L. and Prusiner, S.B.
Mass spectrometric analysis of a GPI-anchored protein: the scrapie prion protein 239
Barceló, B., see Tauler, R. 319
Bast, A., see De Jong, J. 422
Bataillard, P.
Calorimetric sensing in bioanalytical chemistry: principles, applications and trends 387
Belle, K. van, see Sarre, S. 67
Bellerby, R.G.J.
—, Millward, G.E., Turner, D.R. and Worsfold, P.J.
Approaches to the continuous monitoring of seawater pH and its role in the global carbon cycle 382
Benson, R.L., see Hart, B.T. 403
Berg, B.E., see Greibrokk, T. 303
Bonner Denton, M., see Earle, C.W. 395
Bowman, L.E.
— and Wade, A.P.
An introduction to digital signal processors 83
Braun, T.
—, Maczelka, H. and Zsindely, S.
Lags in the publication of research findings in analytical chemistry 309
Brinkman, U.A.Th., see Kientz, Ch.E. 363
—, see Van de Merbel, N.C. 249
Burlingame, A.L., see Baldwin, M.A. 239

Casassas, E., see Esteban, M. 276
Casy, A.F.
Chiral discrimination by NMR spectroscopy 185
Chang, C.D., see Chang S.C. 144
Chang, S.C.
—, Reid III, G.L., Chen, S., Chang, C.D. and Armstrong, D.W.
Evaluation of a new polar–organic high-performance liquid chromatographic mobile phase for cyclodextrin-bonded chiral stationary phases 144
Chen, S., see Chang, S.C. 144
Cohen, A.S.
—, Smisek, D.L. and Keohavong, P.
Capillary gel electrophoresis of biopolymers 195
Coles, J.
— and Guilhaus, M.
Orthogonal accelaration – a new direction for time-of-flight mass spectrometry: fast, sensitive mass analysis for continuous ion sources 203

Daussant, J., see Thévenot, C. 266
De Jong, A.P.J.M.
— and Liem, A.K.D.
Gas chromatography–mass spectrometry in ultra trace analysis of polychlorinated dioxins and related compounds 115
De Jong, J.
—, Bast, A. and Van der Vijgh, W.J.F.
Analysis of anthracycline antitumour drugs in tissues and body fluids using liquid chromatography 422
Deleu, D., see Sarre, S. 67
Dessy, R.E.
The CANAAN Conspiracy 190
Diamond, D., see Fennema, B.D.J.R. 1,37
Díaz-Cruz, J.M., see Esteban, M. 276
Drava, G., see Sarabia, L. 226

Earle, C.W.
—, Baker, M.E., Bonner Denton, M. and Pomeroy, R.S.
Imaging applications for chemical analysis utilizing charge coupled device array detectors 395
Ebinger, G., see Sarre, S. 67
Egginger, G., see Vandenbosch, C. 168
Esteban, M.
—, Ariño, C., Díaz-Cruz, J.M. and Casassas, E.
Voltammetry of metal ion–macromolecule interactions: application to speciation problems 276

Fennema, B.D.J.R.
—, Forster, R.J., Vos, J.G., Hughes, G. amd Diamond, D.
Obtaining and processing data from laboratory instruments. I. Getting the data in the Windows environment 1
—, Forster, R.J., Vos, J.G., Hughes, G. and Diamond, D.
Obtaining and processing data from laboratory instruments. II. Processing the data using EXCEL 37
Forster, R.J., see Fennema, B.D.J.R. 1, 37

García Mateo, J.V., see Martínez Calatayud, J. 428
Gasparrini, F.
—, Misiti, D. and Villani, C.
Direct resolution in sub- and supercritical fluid chromatography on packed columns containing *trans*-1,2-diaminocyclohexane derivatives as selectors 137
Goodall, D.M.
Chiral analysis using polarimetric detection 177
Greef, J. van der, see Tas, A.C. 60
Greibrokk, T.
— and Berg, B.E.
Trace analysis in capillary supercritical fluid chromatography: sample introduction 303
Guilhaus, M., see Coles, J. 203

Haddad, P.R., see Jackson, P.E. 231
Hart, B.T.
—, McKelvie I.D. and Benson, R.L.
Real-time instrumentation for

monitoring water quality: an Australian perspective 403
Hogan, B.L.
— and Yeung, E.S.
Single-cell analysis at the level of a single human erythrocyte 4
Hughes, G., see Fennema, B.D.J.R. 1, 37

Jackson, P.E.
— and Haddad, P.R.
Capillary electrophoresis of inorganic ions and low-molecular-mass ionic solutes 231
John, R.
—, Mirmohseni, A., Teasdale, P.R. and Wallace, G.G.
Interfacial analysis – techniques for the study and characterisation of advanced materials 94
Jong, A.P.J.M. de, see De Jong, A.P.J.M. 115
Jong, J. de, see De Jong, J. 422

Kás, J., see Thévenot, C. 266
Keohavong, P., see Cohen, A.S. 195
Kientz, Ch.E.
— and Brinkman, U.A.Th.
The use of gas chromatographic detectors in column liquid chromatography 363
Koch, K.H.
Process analysis in the metallurgical industry 333
Koenig, J.L.
Vibrational spectroscopy – where are we and where are we going? 214
König, W.A.
Enantioselective gas chromatography 130
Krull, I.S.
—, Zhou, F.-X. and Yu, J.-H.
Chiral drug analysis in biofluids by liquid chromatography 159

Leardi, R., see Sarabia, L. 226
Lee, Y.-I., see Thiem, T.L. 18
Li, Z., see Miyashita, Y. 50
Liem, A.K.D., see De Jong, A.P.J.M. 115
Lindner, W., see Vandenbosch, C. 168
Lobinski, R.
— and Adams, F.C.
Recent advantages in speciation analysis by capillary gas chromatography–microwave induced plasma atomic emission spectrometry 41

Maczelka, H., see Braun, T. 309
Manninen, P., see Riekkola, M.-L. 108
Mannschreck, A.
On-line measurement of circular dichroism spectra during enantioselective liquid chromatography 220
Marcus, R.K., see Mei, Y. 86
Martínez Calatayud, J.
— and García Mateo, J.V.
On-line solid-phase reactors for unsegmented continuous-flow drug analysis 428
Massart, D.L., see Vandenbosch, C. 168
Matsue, T.
Electrochemical sensors using microarray electrodes 100
Mattina, M.J.I.
Applications of chemical ionization mass spectrometry for the identification of environmental contaminants and agrochemicals 328
McKelvie, I.D., see Hart, B.T. 403
Mei, Y.
— and Marcus, R.K.
New developments in glow discharge mass spectrometry 86
Merbel, Van de, N.C., see Van de Merbel, N.C. 249
Meyerhoff, M.E.
In vivo blood-gas and electrolyte sensors: progress and challenges 257
Michotte, Y., see Sarre, S. 67
Millward, G.E., see Bellerby, R.G.J. 382
Mirmohseni, A., see John, R. 94
Misiti, D., see Gasparrini, F. 137
Miyashita, Y.
—, Li, Z. and Sasaki, S.
Chemical pattern recognition and multivariate analysis for QSAR studies 50

Nielen, M.W.F.
Trace enrichment of environmental samples in capillary zone electrophoresis 345

Ortiz, M.C., see Sarabia, L. 226
Otsuka, K.
— and Terabe, S.
Enantiomeric separation by micellar electrokinetic chromatography 125

Pérez-Bendito, D.
— and Rubio, S.
Micellar catalysis in reaction-rate methods 9
Polák, P.
Some easy and fast ways to calculate real degree derivation 272
Pomeroy, R.S., see Earle, C.W. 395
Prusiner, S.B., see Baldwin, M.A. 239

Reh, E.
An algorithm for peak-shape analysis for differentiating unresolved peaks in chromatography 192
Reid III, G.L., see Chang, S.C. 144
Riekkola, M.-L.
— and Manninen, P.
Supercritical-fluid extraction as an alternative sample preparation method 108
Roepstorff, P.
Mass spectrometry of proteins 413
Rubio, S., see Pérez-Bendito, D. 9

Sarabia, L.
—, Ortiz, M.C., Leardi, R. and Drava, G.
A program for non-orthogonal rotation in factor analysis 226
Sarre, S.
—, Deleu, D., Van Belle, K, Ebinger, G. and Michotte, Y.
In-vivo microdialysis sampling in pharmacokinetic studies 67
Sasaki, S., see Miyashita, Y. 50
Schmidt, W.
A novel single beam optical spectrophotometer for fast luminescence, absorption, and reflection measurements of turbid materials 74
Scott, P.M.
Recent developments in methods of analysis for mycotoxins in foodstuffs 373
Smisek, D.L., see Cohen, A.S. 195
Sneddon, J., see Thiem, T.L. 18
Snyder, A.P.
Analyte detection in complex solid matrices with pyrolysis–atmospheric pressure chemical ionization tandem mass spectrometry 296
Songer, M.J., see Adams, J. 28

Suzuki, K.
— and Tohda, K.
Potentiometric ion sensors based on natural carboxylic polyether ionophores and their derivatives 287

Tas, A.C.
— and Van der Greef, J.
Pyrolysis–mass spectrometry under soft ionization conditions 60
Tauler, R.
— and Barceló, D.
Multivariate curve resolution applied to liquid chromatography–diode array detection 319
Teasdale, P.R., see John, R. 94
Terabe, S., see Otsuka, K. 125
Thévenot, C.
—, Daussant, J., Kás, J. and Valentová, O.
Sensitive techniques for phospholiphase D determination in plants 266
Thiem, T.L.
—, Lee, Y.-I. and Sneddon, J.
Recent advances in the field of laser atomic spectroscopy 18
Tohda, K., see Suzuki, K. 287
Turner, D.R., see Bellerby, R.G.J. 382

Valentová, O., see Thévenot, C. 266
Vandenbosch, C.
—, Massart, D.L., Egginger, G. and Lindner, W.
Liquid chromatographic methods for the chiral separation of β-adrenergic blocking agents 168
Vanysek, P.
Analytical applications of electrified interfaces between two immiscible solutions 357
Van Belle, K., see Sarre, S. 67
Van de Merbel, N.C.
— and Brinkman, U.A.Th.
On-line dialysis as a sample-preparation technique for column liquid chromatography 249
Van der Greef, J., see Tas, A.C. 60
Van der Vijgh, W.J.F., see De Jong, J. 422
Villani, C., see Gasparrini, F. 137
Voldet, P.
From neutron activation to inductively coupled plasma–atomic emission spectrometry in the determination of rare-earth elements in rocks 339
Vos, J.G., see Fennema, B.D.J.R. 1, 37

Wade, A.P., see Bowman, L.E. 83
Wainer, I.W.
The impact of new liquid chromatography chiral stationary phase technology on the study of stereoselective pharmacokinetics 153
Wallace, G.G., see John, R. 94
Watarai, H.
What's happening at the liquid–liquid interface in solvent extraction chemistry? 313
Worsfold, P.J., see Bellerby, R.G.J. 382

Yeung, E.S., see Hogan, B.L. 4
Yu, J.-H., see Krull, I.S. 159

Zhou, F.-X., see Krull, I.S. 159
Zsindely, S., see Braun, T. 309

Subject Index

A

Absorption, *see* Spectrophotometer for fast luminescence, absorption and reflection measurement

Acebutolol 170, 172, 174

Acetaminophen 299, 300

α-Adrenergic agonists, *see* Tetrahydrozoline

Advanced materials, techniques of analysis
A review on interfacial analysis. Electrochemical methods, dynamic contact angle measurements, quartz microbalance gravimetry, *in situ* spectroscopy and inverse chromatography are described 94

Agrochemicals. Application of negative ionization MS 328

Air pollution 115

Airborne brominated/chlorinated dibenzofurans 120

Airborne polychlorinated/brominated dibenzodioxins 120

Alanine 431

Alkali metals, *see* Single cell analysis

Alprenolol 146, 170, 172, 174

Althiazide 147, 150

Amino acids, PTH derivatives 126

Amino acids, separation of optical isomers 126, 165

Amphetamine 134, 162, 163

Amplification of response by redox cycling 101

Amylase, recombinant, analysis by MS 416

Anacin 299, 300

Ansatrienin A 133

Anthracyclines used in cancer therapy, analysis
A review summarizing the current achievements in bioanalytical methods for anthracyclines with the emphasis on HPLC; attention is paid to sample pretreatment, the possibilities of liquid–liquid and solid-phase extraction and the chromatographic behaviour of the anthracyclines 422

Anti-anxiety drugs 148

Antiarrhythmic drugs 50, 146
see also QSAR

Antibiotics 287

Anticholinergic agents 146

Antihyperlipoproteinemic drugs, *see* Ciprofibrate

Anti-inflammatory drugs, *see* Suprofen

Antisense DNA 195

Aryloxypropionic acid methyl esters 140

Aspirin 299, 300

Assessment of biological water quality 409

Atenolol 146, 170, 172, 174

Atomic absorption spectroscopy, *see* Atomic spectroscopy, laser induced

Atomic fluorescence spectroscopy, *see* Atomic spectroscopy, laser induced

Atomic spectroscopy, laser induced
The use of lasers in atomic absorption. Use of lasers as an excitation source in laser atomic fluorescence and laser enhanced ionization spectroscopy, use of lasers as a tool for solid sample introduction, use of lasers as a diagnostic tool. Light sources: atomic fluorescence spectroscopy; atomic absorption spectroscopy. Sample introduction. Atomization/excitation source. Laser-enhanced ionization spectroscopy (LEI) 18

ATP 187

Atropine 151

B

Barbiturates 134

Bendroflumethiazide 147

Benefin 330

Betaxolol 172

Binaphthyl derivatives 140

Binning 396

Biomonitoring, automated 410

Biopolymers, *see* Pyrolysis–mass spectrometry

Biosensors 409

Biotransformation, *see* Microdialysis sampling

α-Bisabolol 133

Bisoprolol 172

β-Blockers
LC methods for chiral separations. The principal chromatograhic methods for the resolution of enantiomers of about twenty β-blockers are reviewed 168

β-Blockers 137, 146, 153,

Blood gas sensors
A review on blood gas levels measurement in critically ill patients 257

Bufferin 299, 300

Bufuralol 170

Bunitrolol 170, 174

Bupranolol 170, 172, 174

C

Cadmium, immobilized 431

Caffeine 299, 300

Calcium channel blockers, *see* Terodiline

Calorimetric sensing
A review on the title topic and its applications to bioanalytical chemistry including both adiabatic calorimetry and heat conduction calorimetry. Immobilization of the biomaterial in the vicinity or directly onto a small temperature or heat sensitive transducer has led to the concept of a calorimetric biosensor. Advantages of the calorimetric biosensor over traditional calorimeters are seen in the possibility of continuous monitoring and size reduction 387

Calorimetric sensors, applications, *see* Calorimetric sensing

Camphor 133

CANAAN conspiracy
An article on excessive application of acronyms in scientific literature, a critical evaluation 190

Capillary electrophoresis of inorganic anions
A review on the separation of inorganic ions as well as other small solutes. Comparison with ion chromatography is discussed 231

Capillary gel electrophoresis (of biopolymers)
A review on this rapidly expanding technique. Particular emphasis is given on the separation of proteins and nucleic acids. Potential advantages over conventional electrophoretic methods include high-resolution, high-speed separations, detection of small quantities and the capability of automation for on-line detection. Many successful applications have been developed with this technique such as sodium dodecyl sulfate protein analysis and oligonucleotide, single stranded and double stranded DNA separations, including DNA sequencing, mutational spectra and antisense DNA analysis 195

Capillary zone electrophoresis, applications in environmental analysis and trace enrichment 345

Capillary zone electrophoresis, sensitivity improvement 346

Carazolol 170

Carboxylic polyether ionophores (antibiotics) 287

Carteolol 146, 170

Carvedilol 174

Carvone 133

Celiprolol 170, 174

Cerium(IV) arsenite, immobilized 431

Charge coupled device (CCD), imaging applications 396

Charge injection device (CID), imaging applications 396

Charge transfer device (CTD)
A review on the application to optical chemical analysis. Trends and future research directions in CTD 395

Charge-remote fragmentations
This class of gas-phase ion decompositions is important for the characterization of a number of biomolecules. Here the applications on lipid molecules and related compounds are reviewed. Fundamental characteristics of the reaction mechanisms are presented 28

Chemical imaging, application of charge coupled device array detectors 395

Chemical imaging, integration mode 395

Chemical imaging, special readout techniques 398

Chemical imaging, time delayed imaging 398

Chemical ionization mass spectrometry, application to environmental toxicants 328

Chemical ionization tandem mass spectrometry
A review on the investigation of complex solids with the Py–APCI-MS–MS technique 296

Chemical pattern recognition (CPR), *see* QSAR

Chemometrics, in water analysis 410

Chemometrics, *see* QSAR

Chiral discrimination by NMR spectroscopy
A review on chiral recognition in NMR with reference to applications in the life sciences 185

Chiral drug analysis 159

Chiral mobile phase additives 173

Chiral NMR 185

Chiral selectors, chemical immobilization in GC 130

Chiral separations
A general overview on sub- and supercritical fluid chromatography on packed columns containing *trans*-1,2-diaminocyclohexane derivatives as selectors. Examples of the separation of complex mixtures of enantiomers using several columns in series are presented. The influence of analysis temperature, mobile phase composition and the nature of the stationary phase are also evaluated 137

Chiral separations, applications 125, 130, 137, 144, 153, 159, 168, 177, 185, 355

Chiral separations, by capillary zone electrophoresis and MEKC 125, 355

Chiral separations in water analysis 355

Chiral separations of β-blocking drugs
A review summarizing the conditions for the resolution of about twenty β-blocking agents. Methods using chiral stationary phases like α_1 acid glycoprotein, ovomucoid, cellulase, cellulose derivatives, amylose derivatives and cyclodextrins are described. Chiral derivatization methods employing achiral LC phases are also described 168

Chiral shift reagents 185

Chiral stationary phase
A review on the application of packed columns containing *trans*-1,2-diaminocyclohexane derivatives as selectors 137

Chiral stationary phase
The use of a polar mobile phase composed of acetonitrile with small portions of hydrogen bonding modifiers for the separation of chiral molecules on cyclodextrin-bonded phases is reviewed. Examplified with drug enantiomers 144

Chiral stationary phase technology
The continuing development and improvement of liquid chromatography chiral stationary phases has taken enantioselective resolutions into the clinical laboratories. In most cases, it is now possible to follow the pharmacological fate of a chiral drug. These technological advances are aiding in the development and use of chiral therapeutic agents 153

Chiral subcritical and supercritical chromatography 137

Chirasil-val 130

4-Chlorbupranolol 172

Chlordane 330

2-(4-Chlorophenoxy)propionic acid 148, 152

2-(2-Chlorophenoxy)propionic acid 152

Chlorthenoxazine 134

CIMS, *see* Chemical ionization (tandem) mass spectrometry

Ciprofibrate 147

Circular dichroism spectra (of lipids) 29

Circular dichroism spectra, measurement during enantioselective liquid chromatography.
A review presenting the current possibilities of exploiting circular dichroism to obtain on-line spectra during enantioselective liquid chromatography. Both stop-flow and non-stop techniques are described. Rapid scanning. Multiwavelength CI detector. The future of chiroptical detection in separation science is discussed with reference to the wide variety of chiral molecules of current interest in the fields of chemistry, pharmacy and biology 220

Circular dichroism spectroscopy, *see* Sugars, molecular recognition

Citronellol 133

Clean-up of samples (in food analysis) 375

Cluster significance analysis, *see* QSAR

Complex formation reactions in solid phase reactors 430

Complexants, natural, physico-chemical heterogeneity 284

Complexation gas chromatography 131

Complexing capacity curves 278

Computer modelling, in voltammetry 278

Conducting solids analysis by MS 86

Continuous ion source (TOFMS) (in mass spectrometry) 203

Copper carbonate, immobilized 431

Coumachlor 148, 151

Covarimin rotations 227

Cyclodextrins 125, 131, 144, 177, 187

1,2-Cyclooctadiene 136

Cyromazine 301

L-Cysteine 431

L-Cystine 431

D

Dark current 396

Data processing
Upgrading and replacing some functions and improving existing analog instrumentation using a relatively cheap data acquisition card. A case study of interfacing the EG&G PAR 363; interfacing strategy, control of card functions, program details 1

Data processing
Processing data using EXCEL. A discussion on software options for processing the digitised information and outlining how it is possible to develop customized solutions to achieve quite complex data transformations using standard applications packages such as the spreadsheet EXCEL. Main sections: dedicated software for polymer modified electrodes; sample current voltammetry; determination of kinetic parameters 37

DDT 135

Dechlorobupranolol 172

Derivation of real degree
A review on a signal processing method used in electrochemistry. A few fast transformation methods are shown with easily programmable flow charts 272

Derivatization procedures (for LC) 161

Derivatization reactions for sensitivity enhancement 329

Detection, electron capture 364

Detectors, thermionic 365

Detectors, flame-photometric 367

Detectors, GC, applications to LC
The authors present a survey of the literature on the use of thermionic, flame-photometric and electron-capture detectors and their application to both conventional-size and miniaturized liquid column chromatography 363

Detectors, LC, sample introduction 364

Detectors, thermionic 365

Dexorubicin (and metabolites) 422

Dialysis, on-line
The use of dialysis as an on-line sample preparation technique for column liquid chromatography is discussed and the necessary instrumentation is described 249

Dialysis, *see* Microdialysis sampling

1,2-Diamino-cyclohexane, as chiral selector 137

Diastereomers, *see* Chiral separations and related specific entries

Dieldrin 330

Differintegration, *see* Derivation of real degree

Digital signal processors
Introduction to the applications of digital signal processors which are a relatively new family of microprocessors specifically designed for efficient execution of algorithms commonly used in signal processing. When interfaced with an IBM PC/AT compatible personal computer an inexpensive digital signal processor can compute a 1024-point Fourier transform and perform a subsequent magnitude determination in 63.2 ms. The application to the analysis of acoustic emission signals in near-real time is described 83

Digitonin as chiral selector 128

Diltiazem related compounds 127

Dimethylbupranolol 170

3,5-Dinitrophenyl carbamate 165

Dioxins, mixed, halogenated 120

Diuretics, *see* Althiazide, Bendroflumethiazide

DNA, *see* Nucleic acids

L-DOPA, *see* Microdialysis sampling

Drug analysis 144, 153, 159, 177 , 428

Drug enantiomers 144, 153, 159 , 177

Drug enantiomers in biological fluids
A review article dealing with direct analysis by chiral chromatography of drug enantiomers in biofluids. The merits of derivatization schemes based on achiral polymeric derivatization reagents for chiral drug bioanalysis are discussed. Systems based on achiral polymeric reagents designed for direct enantiomeric drug analysis are also presented. Problems with racemization and kinetic resolution are addressed, and the advantages of on-line simplicity, speed, high resolution and sensitivity are critically assessed 159

Dynamic contact angle measurements 96

E

Effects of solvents on peak shape in SFC 304

Electrified interfaces, analytical applications, *see* Immiscible solutions

Electrochemical methods, application to material characterization 94

Electrochemical sensors
Electroanalytical behaviour of microarray electrodes. Amplification and responses by redox cycling. Redox cycling in flowing solutions. Application to HPLC detectors. Multichannel detection. Microarray devices. Surface treatment and redox switches. Enzyme based switches. pH responsive devices. Enzyme sensors based on microarray elecrodes 100

Electrochemical sensors 259

Electrolyte levels in blood of critically ill patients
A review on the concentration of electrolytes in whole undiluted blood of critically ill patients using intra-arterial chemical sensors 257

Electron capture detection, *see* Detection

Electrophoresis with spatial imaging 397

Emetine 431

Enantioselective GC
A review on this technique using modified cyclodextrins as stationary phase 130

Environmental contaminants
A review on the application of MS for the analysis of agrochemicals 328

Enzyme beds 431

Enzyme thermistors, microorganisms applied 391

Ephedrine 178

Epinephrine 431

Epitaxy 396

β-Escin as chiral selector 127

Ethotoin 134

Excedrin 299, 300

EXCEL, *see* Data processing

Extracellular space, *see* Microdialysis sampling

Extraction of samples (in food analysis) 374

Extraction rate, measurement 315

F

Factor analysis, non-orthogonal rotation 226

Fenchone 133

Fenoldopam mesylate 187

Field amplified injection, principles and performance 347, 349

Flame-photometric detectors, *see* Detectors

Flavediol 174

Flow cytometry 4

Fluazifop-P-butyl 178

Fluorescence microscopy 4

Fluorescence spectroscopy, *see* Sugars, molecular recognition

Fluphenazine 431

Flurbiprofen 134

Fonofos 130

Food analysis 181

Food analysis, determination of mycotoxins 373

Fungicidal activity, *see* QSAR

G

Gas chromatography, enantioselective
The introduction of hydrophobic cyclodextrin derivatives as chiral selectors in enantioselective gas chromatography has resulted in the wide use of this analytical method in solving stereochemical problems. The present review emphasizes the extraordinary separation efficiency of capillary gas chromatography that enables the investigation of chiral constituents in complex mixtures such as essential oils, pheromones and environmental samples. Enantioselective gas chromatography features high precision in the detection of minute enantiomeric impurities and detection limits are independent of functional groups 130

Gate structure 396

GC–AES coupling
A thorough discussion on recent advances in speciation analysis by capillary gas chromatography–microwave induced plasma atomic adsorption spectrometry. The article is directed towards speciation analysis of organometalloid and organometallic compounds. Recent developments in all components of the hyphenated system –injection, gas chromatographic separation and detection– are highlighted. Applications to a variety of environmental, biological and energy related samples are reviewed. Main sections: Interfacing of MIP-AES to GC; GC of organoelements; On-line preconcentration by in-line solvent venting, GC–MIP-AES as a technique for speciation analysis of organoelements; Effect of operating conditions; Sample preparation for GC–MIP-AES; Areas of application 41

GC–MS, *see* Pyrolysis–mass spectrometry

GC–MS, application to polychlorinated dioxins and re-

lated compounds analysis
A review on trace analysis of polychlorinated dibenzodioxins and furans in biological and environmental samples 115–124

Gentamicin 180, 181

Global carbon cycle, relation to seawater pH values 382

Glow discharge mass spectrometry
Recent improvements in glow discharge mass spectrometry. Description of the novel instrumentation. Non-conductive sample analysis. Inorganic liquid analysis. Organic sample analysis. Novel plasma operation modes. Power modulated or enhanced devices. Alternative mass analysers 86

Glycine 431

Glycyrrhizic acid as chiral selector 125

Glycogen 301

Gutethimide 134

H

Halothane 134

Heat conduction calorimeters 389

Herbicidal activity, *see* QSAR

Herbicides 148, 350

Hexacyanoferrate(III), immobilized 431

Histidine 431

Homatropine 146, 150, 151

3-Hydroxybupranolol 172

α-Hydroxymetoprolol 174

4-Hydroxypropranolol 174

Hypnotics 148

I

Ibuprofen 178

Ifosfamide 134

Imaging, applications for chemical analysis 395

Immiscible solutions, electrified interfaces
A review on the electrochemistry of interfaces between two immiscible solutions in comparison with electrochemistry of metal electrodes immersed in solutions. Experimental techniques involving potentiometry, polarography voltammetry, and microinterfaces are outlined 357

Immobilization by physical entrapment 430

Immobilization on ion exchange resins 430

Independently addressable microarray electrodes 100

Initial dispersions, in mass spectrometry 203

Injection in SFC 304

Inorganic liquid analysis by MS 87

Instrumentation, for water quality monitoring 406

Interdigitated microarray electrodes 100

Interfacial adsorption 313

Interfacial analysis
Electrochemical methods. Dynamic contact angle measurements. Quartz crystal microbalance gravimetry. *In situ* spectroscopy. Inverse chromatography 94

Interfactial phenomena, *see* Solvent extraction

Inverse chromatography 98

Iodine, immobilized 431

Ionomycin 289

Isomenthone 133

Isoniazide 431

Isopenbutolol 170

Isopropylbupranolol 172

L

Labetalol 146, 174

Lanthanide shift reagents 185

Lasalocid 288, 289

Laser-based monitoring techniques, *see* Single cell analysis

Laser-enhanced ionization spectroscopy (LEI), *see* Atomic spectroscopy, laser induced

Lead dioxide, immobilized 431

Leucine 431

Linalool 133

Lipids, structural studies 28

α-Lipoic acid 134

Liquid column chromatography, chiral drugs 159

Liquid column chromatography, detection, CD spectra 220

Liquid column chromatography, effluent transport systems 363

Liquid column chromatography, *see* individual types of the technique

Liquid extraction 413

Liquid–liquid interface 313

Lorazepam 151

Luminiscence, *see* Spectrophotometer for fast luminescence, absorption and reflection measurement

M

Manganese dioxide, immobilized 431

Mass spectrometry, orthogonal acceleration 203

Mass spectrometry of proteins
The principles and practical performance of the key techniques are discussed and typical examples are presented 413

Mass spectrometry of proteins, summary of methods applicable 414

Mass spectrometry, application to GPI anchored protein
A review on analytical possibilities of a membrane protein anchored *via* glycosylphosphatidylinositol in the membrane and available in quantities of only a few nanomoles 239

Mass spectrometry, *see also* Glow discharge mass spectrometry

Membrane extraction discs, comparison with solid phase extraction 351

Menthone 133

Mepindolol 170

Mesuximide 134

Metal chelate complexes in chiral recognition 125

Metallurgical analysis
A review on the spectroscopic methods applicable in process control in metallurgical industry 333

Metamidophos 135

Metaproterenol 174

Methadone 431

Methamizol 431

O-Methylochratoxin 379

Metipranolol 170, 174

Metoprolol 147, 170, 172, 174

Micellar catalysis
A review considering micellar systems in kinetic based determinations involving catalysed and uncatalysed reactions. Strategies for increasing sensitivity and selectivity of this category of systems. Role of micelles in reaction-rate methods. Possible applications of the concurrence of micellar and chemical catalysis. Kinetic aspects of micellar catalysis. Uncatalysed reactions; the concentrating effects; spectral shifts; the concentrating effects/changes in acid–base equilibria. Micellar kinetic multicomponent determination 9

Micellar electrokinetic chromatography, separation of enantiomers
Enantiomeric separation by micellar electrokinetic chromatography (MEKC) has been developed recently by using chiral surfactants or a cyclodextrin modified system. As chiral detergents, amino acid derivatives, bile salts, glycosides and saponins are used with or without achiral micelles and other additives. Applications of SDS, β- and γ-cyclodextrins are described 125

Microarray electrodes, application to HPLC 100

Microdialysis sampling
A review on the title technique showing that microdialysis sampling is a powerful technique for studying *in vivo* kinetics and the metabolism of drugs. Introduction of a dialysis membrane into a blood vessel or tissue allows the collection of small molecules from the extracellular space. Calibration methods are discussed in detail. *In vivo* transformation of L-DOPA and its pharmacokinetics are described as an example. Main topics: Principle. Microdialysis and pharmacokinetics. Calibration. Distribution of L-DOPA in muscle and blood 67

Miniaturization in electron capture detection 370

Mobile phase suitable for cyclodextrin bonded stationary phases
A report on a newly developed mobile phase that allows for the separation of a wide variety of analytes which cannot be resolved in either traditional normal- or reversed-phase chromatography 144

Molecular recognition, *see* Sugars, molecular recognition

Monensin 288, 289, 291-294

Monobromobimane 7

Mosaic, CCD, definition 396

Mosher acid ester 134

MS–MS coupling 297

Multi-parameter, real-time instruments for water quality monitoring 406

Multiple ion detection (of mycotoxins) 379

Multivariate curve resolution

The principles and application of the multivariate curve resolution is applied to liquid chromatography–diode array detection. The method can be applied for overlapping peaks. Initial qualitative solutions obtained by self-modelling curve resolution methods, such as evolving factor analysis, can be further optimized by simultaneous analysis of multiple chromatographic runs with alternating least-squares regression 319

Muramic acid 301

Mycotoxins, analysis in foodstuffs
A review on the new techniques and developments comprising sampling, extraction of naturally contaminated samples, cleanup, detection, determination and validation of the results. Automation of the procedures and analyst performance are also discussed 373

Mycotoxins, detection 375

N

Nadolol 146

Natural immobilization 429

Negative ionization MS (NICI) 328

Nerolidol 133

Neutron activation analysis (NAA), comparison with inductively coupled plasma–atomic emission spectroscopy 339

Nifenalol 170, 174

Nigericin 288, 289

NMR spectroscopy, chiral discrimination
The techniques for chiral discrimination in NMR are reviewed with reference to applications primarily in the life sciences. A number of strategies for chiral discrimination are discussed in detail, including derivatization methods, lanthanide shift reagents, the use of cyclodextrins as chiral shift reagents and the use of chiral auxiliaries 185

NMR spectroscopy, *see* Sugars, molecular recognition

Non-conductive sample analysis by MS 86

Non-enzyme beds of immobilized reagents 429

Norverapamil 156

Nucleic acids 198-200

O

OBLIQUE program 226

Oligonucleotides 199–201

Optical sensors 260

Organic sample analysis by glow discharge MS 88

Orthogonal acceleration
The current renaissance of time-of-flight mass spectrometry involves mainly pulsed laser ion sources. In the mainstream of mass spectrometry, where continuous ion sources are used, problems arising from dispersion in ion initial location, velocity and time, have hindered exploitation of the advantages of time-of-flight. Orthogonal acceleration is a method which overcomes these problems for most continuous ion sources and provides greater resolution and sensitivity than quadrupole or single sector magnetic scanning analysers 203

Oxazepam 148, 151

Oxprenolol 170, 172, 174

P

Paclobutrazol 178

Paracetamol 431

Parallel register(s), definition 396

Partial least squares method, (PLS), *see* QSAR

Parvalbumins, analysis by MS 417

Peak focusing in SFC 304

Peak shape in chromatography (algorithm)
Analysis of chromatographic data has to deal with asymmetric signals. A new approach is discussed which presents fast processing for PCs and robustness for real life applications 192

Penbutolol 172, 174

Pentachloroaniline 330, 331

Pentachloronitrobenzene 330, 331

Performance criteria in water quality monitoring 405

Pesticides 134 *see also* Coumachlor

pH, monitoring in seawater
A detailed review on the comparison of potentiometric, discrete spectrophotometric and continuous spectrophotometric methods on the obtained pH values and their application in Southern Ocean trials 382

Pharmacokinetics, *see* Microdialysis sampling

Phenoxy acid herbicides, analysis by capillary zone electrophoresis 350

2-Phenoxypropionic acid 152

Phenylalanine 431

Phospholipase D
A review on determination in plants with special emphasis upon phospholipids breakdown during both plant development and post harvest treatment 266

Pindolol 147, 170, 172

Pixel 396

Plasma, operation modes for MS 90

Polarimetric detection, application to chiral analysis
Laser based polarimetry, particularly in dual-detector combinations with UV absorbance or refractive index detection, offers significant advantages in high-performance liquid chromatography or flow-injection analysis of chiral molecules. This review summarizes methods eliminating the need of derivatisation and other pretreatment steps and their application to quality control, enantiomeric purity determination and on-line measurement of specific rotation for a variety of agrochemicals, cyclodextrins and pharmaceuticals 177

Polybrominated dioxins 120

Polychlorinated dioxins 115

Polyether antibiotics as ion sensors 287

Potentiometric estimation of seawater pH 383

Potentiometric ion sensors
Description of the preparation of ion sensors from antibiotics and discussion of the relation between structures of the ionophores and their ion-selective properties 287

Potentiostat 359

Power basic language, *see* Spectrophotometer for fast luminescence absorption and reflection measurements

Practolol 170

Prilocaine 134

Proglumide 146, 150

Proline 431

Promethazine 431

Pronethalol 170

Propranolol 147, 150, 153, 155, 170-172, 174, 175

Protein fluorescence, *see* Single cell analysis

Proteins 197

Proteins, mass spectrometry
A review on protein and peptide characterization by MS 413

Pseudoephedrine 165, 299, 300

Publications in analytical chemistry
A survey of cumulative lag times for publication of analytical papers in eleven leading analytical journals is reviewed 309

Pulegone 133

Pyrolysis techniques
Detection of analytes in complex matrices with pyrolysis–atmospheric pressure MS 296

Pyrolysis–mass spectrometry
A review describing pyrolysis conducted under direct chemical ionization conditions. This method enables the detection of compounds of higher molecular mass and polar compounds of low volatility. Losses of such compounds during pyrolysate transport are avoided, to a large extent. Because this pyrolysis technique can be used directly with advanced mass spectrometric equipment, such as tandem mass spectrometry, sophisticated analysis of pyrolysis products can improve the insight into the structure of such compounds. 60

Q

QSAR (Quantitative Structure Activity Relationships), multivariate analysis
Chemical pattern recognition (CPR) and quantitative structure–activity relationships (QSAR) based on multivariate analysis and chemometric techniques are reviewed. In particular, applications of the SIMCA classification method to structure–taste problems are discussed. Cluster significance analysis is compared with modelling powers for feature selection of asymmetric data sets. A concentric hypersphere model is used to predict candidate new sweeteners. Partial least squares modelling methods are employed to antiarrhythmic data of phenylpyridines. Data are available for fungicidal and herbicidal activities of thiocarbamates. The CoMFA approach to three-dimensional QSAR using partial least squares modelling is used as well. 50

Quantum efficiency 396

Quartimin rotation 227

Quartz crystal microbalance gravimetry 97

R

Rare earths
A review on the application of inductively coupled plasma atomic emission spectrometry (ICP-AES) for the determination of rare earth elements in rocks. Comparison with neutron activation analysis is presented 339

Reactions (and extraction) on solid sorbents 307

Redox cycling in flowing solutions 102

Redox reactions in solid phase reactors 429

Reflection, *see* Spectrophotometer for fast luminescence, absorption and reflection measurement

Reserpine 431

Resistometric techniques 96

RNA, *see* Nucleic acids

Ruelene 148

S

Salinomycin 288, 290

Sample clean-up for anticancer drugs analysis 422, 423

Sample handling and preparation in water quality monitoring 407

Sample preparation by supercritical fluids 108

Saponins as chiral selectors 127

Scopolamine 151

Scrapie prion protein, MS analysis 239

Sedatives 148

Sensor technology for blood electrolyte and gas analysis 258

Sensors, *in vivo* applications 257

Serial register 396

SFC, *see* Supercritical fluid (capillary) chromatography

Signal processing, methods in electrochemistry 272

Single cell capillary electrophoresis system
Assembly and operation of the system. Sample application, laser induced fluorescence as detection technique. Derivatization of cell components 4

Single-cell analysis
A review describing the separation and detection of chemical contents of a single red blood cell. The article deals with the analysis of a sample volume only 90 fl. Three laser-based monitoring techniques are employed: *in vivo* derivatization of glutathione, detection (indirect) of Na and K; UV excited native protein fluorescence measurement 4

Sinutab (anti-cold drugs) 299, 300

Sobrevol 134

Sodium D-camphor-10-sulphonate 129

Sodium dodecanoyl-L-valinate 126

Sodium deoxycholate 126

Solid-phase reactors, principles 428

Solid-phase reactors for unsegmented continuous flow drug analysis
The application of solid-phase reactors in unsegmented continuous flow methodologies is reviewed. The types of reagents, immobilization strategies and the function of the bed reactor are discussed. The review is confined to the analysis of pharmaceuticals in formulations and biological samples 428

Solvent extraction
The role of the liquid–liquid interface in extraction mechanisms is briefly reviewed for chelate extraction, ion association extraction and synergistic extraction systems 303

Solvent venting under pressure 305, 306

Sotalol 170, 174

Spatial dispersion in mass spectrometry 203

Spatial imaging 396, 397

Speciation analysis (voltammetry) 277

Spectrophotometer for fast luminescence absorption and reflection measurements.
A review on a new construction of the device. The new spectrophotometer is used for measuring highly turbid materials particularly of biological origin, within the millisecond time range. The number of optical components in the monochromator is reduced to an absolute minimum, the only part being a concave holographic grating. A computer program providing data acquisition and all control functions as well as numerous analytical capabilities has been developed using POWER BASIC compiler language. 74

Spectrophotometric determination of pH 385

Spectroscopic imaging 396, 397

Spectroscopy, *in situ* 98

Step-scan interferometers 216

Stirring, high speed method 314

Sugars, molecular recognition
Sugar complexation in solution with definitive host–guest stoichiometry. The application of relatively simple macrocyclic compounds as either selective or versatile hosts. Operations in polar organic and/or aqueous media. Methods of detection; driving forces; selectivity of sugar binding processes. Detection of sugar complexation; solubilization in apolar organic media. NMR spectroscopy: complexation induced shifts. Circular dichroism spectroscopy: exciton chirality induction. Fluorescence spectroscopy. Hydrophobicity of sugars. Sugar binding to monolayer assemblies. Competitive inhibition of binding: application to sugar–sugar interactions. Driving force and selectivity of sugar complexation. Multiple host–guest

hydrogen-binding: *Deoxy* and *cis* selectivity. 23

Sulfoxides 141

Sulphonamides 147

Supercritical fluid chromatography
A review on the possibilities of this technique in trace analysis with special emphasis to sample introduction 303

Supercritical fluid chromatography, enantioselective
A review on using *trans*-1,2-diaminocyclohexane as selectors. Examples of using several columns in series are described. 137

Supercritical fluid extraction
A review on the use of this technique as an alternative sample preparation method. Supercritical fluid properties. Instrumentation. Extraction vessels. Restrictors. Extract collection. Coupled techniques. Applications. Future trends 108

Supercritical fluid extraction, in trace analysis 303

Suprofen 147, 150

Sweeteners, artificial, *see* QSAR

T

Talinolol 170

Taurodeoxycholate 126

Temporal dispersion in mass spectrometry 204

Terodiline 147

Terpene alcohols 133

α-Terpineol 133

Tertatolol 170, 174

Tetrahydropapaveroline 127

Tetrahydrozoline 146

Thermionic detectors, *see* Detectors

Thiamine 431

Thiocarbamates 50

Time delay and intergration (TID), definition (in CD) 396

Time-of-flight mass spectrometry 203

Timolol 147, 170

TOFMS, *see* Orthogonal acceleration

Toliprolol 170, 172

Trace enrichment
A detailed review on the trace enrichment techniques used in combination with capillary zone electrophoresis. Emphasis is put on the preconcentration of very large sample volumes using the field amplified injection method. The applications in environmental analysis are described 345

Transmission, *see* Spectrophotometer for fast luminescence, absorption and reflection measurement

Trifluralin 330

Trihexyphenidyl 146

Trimetoquinol 127

Turbid materials, *see* Spectrophotometer for fast luminescence, absorption and reflection measurement

Two-dimensional infrared spectroscopy 216

V

Valine methyl esters 165

Velocity dispersion in mass spectrometry 204

Verapamil 153

Vibrational spectroscopy
A review on the numerous new areas that have evolved as the result of improvements in detectors, computers and interferometers in vibrational spectroscopy, infrared and Raman. The impact of the new developments on the future of vibrational spectroscopy is discussed 214

Vibrational spectroscopy as detection method for chromatography 217

Vibrational spectroscopy, coupling to microscopes 217

Vibrational spectroscopy, coupling to other physical methods 219

Voltammetry, application to immiscible solvents interfaces 357

Voltammetry, effect of mobility of the macromolecular ligand 280

Voltammetry in metal complexation 279

Voltammetry, of metal–ion interactions
A review presenting some guidelines to account for the adsorption of macromolecules on a mercury electrode and the induced adsorption of the metal ion. Some guidelines are given on how to minimize the effects on the voltammetric response of variations in pH and the adsorption of cell components 276

Voltammetry, optimization 281

Voltammetry, the role of excess ligand over metal ion 284

W

Warfarin 148, 151

Water analysis, pH estimation 382

Water quality, biosensing 407

Water quality monitoring
A review on the desirable features of continuous water quality monitoring devices with special emphasis upon the situation in Australia. Ways of handling and processing dirty samples, development of new sensors to provide more information on particular forms of contaminants, new sensors for detecting new types of particularly toxic substances and new methods for the assessment of microbial water quality are summarized 403

Z

Zinc, immobilized 431